# CONTRIBUTIONS

# from the

# UNIVERSITY OF MICHIGAN

# HERBARIUM

Numbers 1–8

ANN ARBOR
UNIVERSITY OF MICHIGAN PRESS
1939–1942

# CONTRIBUTIONS FROM THE UNIVERSITY OF MICHIGAN HERBARIUM

Dates of Publication:

| | |
|---|---|
| No. 1 | 23 May 1939 |
| No. 2 | 30 June 1939 |
| No. 3 | 10 August 1939 |
| No. 4 | 1 April 1940 |
| No. 5 | 12 February 1941 |
| No. 6 | 1 September 1941 |
| No. 7 | 25 May 1942 |
| No. 8 | 30 September 1942 |

# CONTRIBUTIONS
## from the
# UNIVERSITY OF MICHIGAN HERBARIUM


No. 1. Rusts from British Honduras
Edwin B. Mains 5–19
Notes on agarics from British Honduras
Alexander H. Smith 21–28, pl. I–II

No. 2. Studies in the genus *Cortinarius* I
Alexander H. Smith 1–42, pl. I–XII

No. 3. Revision of the American Celastraceae I.
*Wimmeria, Microtropis,* and *Zinowiewia*
Cyrus Longworth Lundell 1–46, pl. I–X

No. 4 Studies of tropical American plants–I
Cyrus Longworth Lundell 1–32

No. 5. Studies of North American agarics–I
Alexander H. Smith 1–73, pl. I–XXXII

No. 6. Studies of American spermatophytes–I
Cyrus Longworth Lundell 1–66

No. 7. Studies of American spermatophytes–II
Cyrus Longworth Lundell 1–56

No. 8. Flora of eastern Tabasco and adjacent
Mexican areas
Cyrus Longworth Lundell 5–74, pl. I–IV
Studies of American spermatophytes–III
Cyrus Longworth Lundell 75–88

It is now proposed to resume publication of the *Contributions from the University of Michigan Herbarium*, and at the same time to bring together into one volume, with title-page and index, the parts already published. The first 8 Contributions comprise in essence if not in name a "first series", initiated while E. B. Mains was Director of the University Herbarium, and completed under his direction. Publication was made possible through funds derived from the income of the endowment of the Horace H. Rackham School of Graduate Studies of the University of Michigan, and grateful acknowledgment of this support is hereby made.

The title-page and index to Contributions 1–8 will be sent *gratis* upon request. Persons living in the United States of America are asked to send ten cents ($0.10) to cover postage and handling. All the published Contributions are still in print. Orders and queries should be addressed to The Director, Herbarium of the University of Michigan, Ann Arbor, Michigan, U.S.A.

Ann Arbor, August 1966

# INDEX TO NOS. 1–8

The epithets of new taxa are printed in **boldface;** new combinations are similarly indicated. Names of persons and geographical names are included when they are the objects of special mention in the text, but names of collectors of plant-specimens, and names of individual localities at which collections have been made, have generally been omitted.


Abutilon hirtum 8: 42; host of a rust 1: 11
Acacia acatlensis 4: 8; **centralis** 4: 7, 8; **cockerellae** 4: 7; farnesiana 8: 29; mayana 8: 29; **russelliana** 4: 7, 8; **salazari** 4: 8; **usumacintensis** 4: 7, 8; 8: 29
Acalypha subg. Euacalypha 4: 11; subg. Linostachys 4: 10; sect. Axillares 4: 10; sect. Coryloideae 6: 38; sect. Dentatae 4: 11; sect. Palminerviae 4: 11; ser. Pantogynae-Acrogynae 4: 11; ser. Pantogynae-Pleurogynae 4: 11; flagellata 6: 38; glandulifera 4: 11; **gummifera** 4: 10; interrupta 4: 12; **matudai** 4: 10; setosa 8: 37; tabascensis 8: 37; **tacanensis** 4: 11; tenuicauda 4: 11; villosa 6: 38; 8: 37
Acanthaceae 8: 65
Acedilla 3: 21
Achatocarpus mexicanus 8: 26
Achras zapota 8: 55
Achyranthes aspera 8: 26
Aciotis rostellata 8: 51
Acisanthera quadrata 8: 51
Acoelorraphe 8: 16
Acrodiclidium 7: 3; 7: 12; campechianum 7: 12; **lucidum** 7: 12; **triandrum** 7: 12
Acrostichum daneifolium 8: 8
Actinidiaceae 8: 43
Adenocalymna fissum 7: 52; (?) ocositense 8:64; seleri 7:3, 52
Adiantopsis radiata 8: 8
Adiantum decoratum 8: 8; latifolium 8: 8; obliquum 8: 9; petiolatum 8: 9; villosum 8: 9; wilsoni 8: 9
Aechmea kienastii 8: 17
Aecidium **belizense** 1: 14; **collapsum** 1: 15; dalechampiicola 1: 15; farameae 1: 15; **sebastianiae** 1: 15; tournefortiae 1: 16
Aegiphila 8: 75; deppeana 8: 82; elata 8: 60; **wigandioides** 8: 81
Agarics, from British Honduras, Notes on 1: 21–28, *pl. I–II;* North American 5: 1–73, *pl. I–XXXII*
Albizzia lundellii 8: 30; rubiginosa 8: 30; tomentosa 8: 29
Algodoncillo 3:21
Alibertia edulis 8: 67
Alismaceae 8: 11
Alnus rubra, host of fungus 5: 41
Alseis yucatanensis 8: 67
Alveolaria cordiae 1: 6
Amaioua corymbosa 8: 67
Amanita 1: 21; 5: 6
Amaranthaceae 8: 26
Amaryllidaceae 8: 19
Amche 3: 26
American Spermatophytes, Studies of, I, 6: 1–66; II, 7: 1–56; III, 8: 75–88
Ampelocissus erdwendbergii 8: 42
Amyris attenuata 6:33; **belizensis** 6: 32
Andira galeottiana 8: 32; inermis 8: 32
Andropogon bicornis 8: 11; bourgaei 8: 11; condensatus 8: 11; selloanus 8: 11
Angelonia ciliaris 8: 63
Angiopsora pallescens 1: 6
Anguria diversifolia 8: 72
Aniseia martinicensis 8: 59
Anisomeris protracta 8: 67
Anonaceae 8: 27
Anthurium myosuroides 8: 17

Apocynaceae 8: 58
Appunia guatemalensis 4: 29; 8: 67; **parviflora** 4: 28
Aquifoliaceae 8: 40
Araceae 8: 17
Araliaceae 8: 54
Ardisia subg. Icacorea 4: 21, 22; 7: 37; **austin-smithii** 7: 36; **bartlettii** 7: 37; **belizensis** 7: 38; compressa 4: 21; 7: 37, 39, 40; **costaricensis** 7: 39; irazuensis 7: 41; matudai 8: 54; minor 7: 37; nigrescens 6: 52; opegrapha 6: 53; 7: 38; **ovandensis** 4: 21; seibertii 6: 52; 7: 38; stenophylla 7: 38; **subcrenulata** 7: 40; **tacanensis** 4: 21; 7: 36; tuerckheimii 4: 22
Armillaria arenicola 5: 20
Arrabidaea floribunda, host of a rust 1: 16; inaequalis 8: 64
Arthrostylidium spinosum 8: 12
Asclepiadaceae 8: 58
Asclepias longicornu 8: 58; setosa 8: 58
Asplenium cristatum 8: 9; formosum 8: 9; serratum 8: 9
Aster exilis 8: 73
Athenaea **affinis** 4: 24; nelsoni 8: 63
Axonopus purpusii 8: 12

Bacopa salzmannii 8: 64
Bactris 8: 16
Balanophoraceae 8: 25
Balbasco 8: 32
Banisteria laurifolia 8: 36; host of a rust, 1: 8
Bauhinia castilloi 6: 24; divaricata 8: 31; emarginella 6: 25; jenningsii 6: 24; **palenquensis** 6: 24; 8: 31; rubeleruziana 6: 25
**Belicea** 8: 75, 86–88; **hoffmannioides** 8: 87
Bellucia grossularioides 8: 51
Bernardia sect. Tyria 4: 13–15; dichotoma 4: 15; interrupta 4:12; mexicana 4: 13, 14; **mollis** 4: 12, var. **lanceifolia** 4: 13; **oblanceolata** 4: 13; **yucatanensis** 4: 14
Bertiera guianensis 8: 67
Bignoniaceae 8: 64; new genus of, 7: 3; 7: 52
Billbergia viridiflora 8: 17
Blake, S. F., determinations by 8: 73
Blechnum fraxineum 8: 9; serrulatum 8: 9
Blepharidium mexicanum 8: 66, *fig. 7;* 8: 67
Bocconia **oblanceolata** 4: 5; vulcanica 4: 6
Boehmeria cylindrica 8: 24; ramiflora var. cuspidata 8: 24
Bolbitis cladorhizans 8: 9
Boletinus cavipes 5: 64
Boletus lakei 5: 6
Boraginaceae 8: 60
Boroconte 7: 32; 8: 49
Borreria, host of a rust, 1: 11; suaveolens 8: 69
Bourreria oxyphylla 8: 60
Bouteloua hirsuta 8: 12
Brassavola nodosa 8: 21
British Honduras, Rusts from 1: 5–19; Notes on Agarics from 1: 21–28, *pl. I–II;* vascular plants from 4: 3; plants of 7: 3; 8: 75
Broken ridge mahogany 6: 37
Broken ridge sosumbra 8: 86
Bromeliaceae 8: 17
Buchnera lithospermifolia 8: 64; pusilla 8:64
Bucida buceras 8: 49
Buddleia matudae 6: 57; skutchii 6: 57
Bumelia 8: 75; mayana 8: 55; **riograndis** 8: 77; **tabascensis** 4: 22; 8: 55; texana 8: 77
Bunchosia lanceolata 8: 36; **matudai** 6: 37; swartziana 8: 36
Burmannia capitata 8: 21
Burmanniaceae 8: 21
Bursera simaruba 8: 35
Burseraceae 8: 35

Cabomba aquatica 8: 26
Ca' ca' woung 6: 19
Cacco 8: 28
Cactaceae 8: 47
Caesalpinieae 8: 31
Calathea macrochlamys 8: 21; micans 8: 21

Calea, host of a rust 1: 9; trichotoma 8: 73
California, fungi of 2: 5, 6
Calliandra deamii 8: 29; yucatanensis 8: 29, 30
Callicarpa acuminata 8: 60
Calopogonium galactioides 6: 26; lanceolatum 6: 25
Calyptranthes bartlettii 7: 29; **chiapensis** 7: 28; karlingii 8: 49; **perlaevigata** 7: 29
Calyptrocarya glomerulata 8: 14
Camp, W. H., contribution by 7: 47–48
Campeche, localities visited by Matuda in, 8: 7
Canalete 3: 45
Caperonia palustris 8: 37
Capparidaceae 8: 28
Capparis tuerckheimii 8: 28
Capraria biflora 8: 64
Capsicum subg. Brachistus 4: 25; **lundellii** 4: 25
Caracasia tremadena 6: 47; viridiflora 6: 47
Cardiospermum grandiflorum, host of a rust 1: 8
Carnegie Institution of Washington 1: 5; acknowledgment to 3: 5; 6: 3; 8: 5
Carpodiptera ameliae 8: 42
Casearia sect. Pitumba 6: 50; aculeata 8: 45; bartlettii 8: 45; ehrenbergiana 6: 50; formosa 6: 51; javitensis 8: 45; nitida 8: 45; **randioides** 6: 48–50, *fig. 3;* **subsessiliflora** 6: 50; sylvestris 6: 51
Casparea 6: 24; jenningsii 6: 24
Cassia bacillaris 8: 31; diphylla 8: 31; flexuosa 8: 31; grandis 8: 31; hispidula 8: 31; killipii 8: 32; tagera 8: 32; undulata 8: 32
Cassytha filiformis 8: 27
Castilla elastica 8: 87
Catasetum integerrimum 8: 21
Caticon 8: 43
Catopsis morreniana 8: 17
Cecropia 8: 23
Cedilla 3: 21
Cedrela mexicana 8: 35
Cedro 8: 35
Celastraceae 8: 40; American, Revision of I, 3: 1–46. *pl. I–X*
Celastrus **panamensis** 6: 40
Cenchrus brownii 8: 12
Centrosema unifoliatum 8: 32
Cephaelis tomentosa 8: 69
Cephalanthus occidentalis 8: 69
Cerotelium holwayi 1: 16
Chaconia alutacea 1: 6
Chaetocalyx brasiliensis 6: 26; **matudai** 6: 26
Chamaedorea 8: 16
Chaptalia nutans 8: 73
Chase, Agnes, determinations by 8: 11
Cheatum, E. P., 6: 41
Chenopodiaceae 8: 26
Chenopodium ambrosioides 8: 26
Chiapas, vascular plants from 4: 3; highlands of, novelties from 6: 3; localities visited by Matuda in 8: 7; plants of 8: 75; vegetation of 8: *pl. I–IV*
Chile montaña 8: 17
Chintoc 3: 14
Chiococca alba 8: 69; **filipes** 7: 53
Chione chiapensis 8: 68, *fig. 8;* 8: 69
Chitzen 8: 40
Chlorophora tinctoria 8: 23
Chrysobalanus icaco 8: 28
Cincho 6: 44
Cionothrix praelonga 1: 6
Cipura paludosa 8: 20
Cirsium mexicanum 8: 73
Cissampelos pareira 8: 27; tropaeolifolia 8: 27
Cissus gossypiifolia 8: 42; rhombifolia 8: 42
Citharexylum 8: 75; brachyanthum 8: 83, var. glabrum 8: 83; caudatum 8: 60; hexangulare 8: 61; **spathulatum** 8: 62
Cladium jamaicense 8: 14
Clerodendrum fragrans var. pleniflorum 8: 61; ligustrinum 8: 61
Clethra **kenoyeri** 6: 51; mexicana 6: 52

Clidemia dentata 8: 51; dependens 8: 51; deppeana 8: 52; rubra 8: 52
Clitocybe 1: 21; 5: 6
Clitoria guianensis, host of a rust 1: 14; rubiginosa 8: 32
Clover, E. U., determination by 8: 47
Clusia sect. Stauroclusia 6: 48; **gentlei** 6: 48; lundellii 8: 44; **massoniana** 4: 17, 18; palmana 4: 18; salvinii 4: 17, 18; **schippii** 4: 18
Clytostoma elegans 8: 64; mayanum 8: 64; ocositense 8: 64
Coccocypselum hirsutum 8: 69
Coccoloba sect. Campderia 6: 9; **alleni** 6: 8; belizensis 7: 9; bracteolosa 6: 9; **colonensis** 6: 9; cozumelensis 8: 26; **fluviatilis** 7: 8; jurgenseni 7: 8; **lasseri** 6: 10; lundellii 6: 10; manzanillensis 6: 11; **matudai** 7: 8; mayana 7: 8; 8: 26; **riparia** 6: 11; uvifera 6: 12; **uviferiella** 6: 12; williamsii 6: 9
Coco mama 6: 44
Codonanthe crassifolia 8: 65
Cojoba 6: 28, 30, 31; 7: 15, 16
Coleosporium elaphantopodis 1: 7; **eupatorii** 1: 7; ipomoeae 1: 7; paraphysatum 1: 7; spigeliae 1: 8
Collybia 5: 11; asema 5: 15; badiialba 5: 16, 18, *pl. II;* butyracea 5: 16; distorta 5: 17, 18; dryophila 5: 16; erosa 5: 14; fulvipes 5: 18; maculata 5: 17; myriadophylla 5: 9; nitellina 5: 14; **olympiana** 5: 13, *pl. I;* prolixa 5: 17, 18; racemosa 5: 14; subrugosa 5: 16; tenuipes 5: 18, 19; tylicolor 5: 14
Colubrina 8: 75; glomerata 8: 76; **mollis** 8: 75
Columnea sulphurea 8: 65
Combretaceae 8: 49
Combretum mexicanum 8: 49
Commelina elegans 8: 18
Commelinaceae 8: 18
Compositae 8: 73
Connaraceae 8: 29
Connarus lentiginosus 6: 21
Conocybe 5: 29, 36, 47
Conostegia 8: 52; xalapensis 8: 52
Constance L., determination by 8: 54
Convolvulaceae 8: 59
Copalché macho 6: 8
Cordia, host of a rust 1: 6; alba 8: 60; alliodora, host of a rust 1: 10; diversifolia 8: 60; ferruginea, host of a rust 1: 6; glabra 8: 60; stenoclada 8: 60
Cornutia latifolia 8: 61; host of a rust 1: 13
Cortinarius, Studies in the Genus I, 2: 1–42, *pl. I–XII*
Cortinarius 5: 7; subg. Bulbopodium 2: 12, 29; subg. Dermocybe 2: 30; subg. Hydrocybe 2: 34, 37; subg. Inoloma 2: 26, 29; subg. Myxacium 2: 6, 23, 29; subg. Phlegmacium 2: 22, 29; subg. Telamonia 2: 27, 32, 39; sect. Colliniti 2: 9; sect. Delibuti 2: 9; sect. Firmiores 2: 38; sect. Tenuiores 2: 38; acutus 2: 41; aggregatus 2: 13, 15; angulosus 2: 41; anomalus 2: 31; anthracinus 2: 31; arquatus 2: 20; balaustinus 2: 38, 39; balteatus 2: 23; biformis 2: 35; brunneofulvus 2: 36; caerulescens 2: 13, 15; **caesiifolius** 2: 26; caesiocyaneus 2: 14, 15; **californicus** 2: 37, *pl. XII;* calochrous 2: 6; **calyptratus** 2: 14, 15, *pl. VI;* camphoratus 2: 30; canescens 2: 30; castaneus 2: 41; cedretorum 2: 18, *pl. VII;* cinnamomeus 2: 31, 32; **citrinifolius** 2: 9; claochrous 2: 20; colus 2: 38; confusus 2: 33; cotoneus 2: 27; crassus 2: 22; croceocaeruleus 2: 23; croceofolius 2: 32; cyanites 2: 17, 28, 30, *pl. XI;* cyanopus 2: 25; damascenus 2: 40; deceptivus 2: 36; decipiens 2: 39; delibutus 2: 11; diabolicus 2: 27; dibaphus 2: 13, 15; dionysae 2: 13, 15; distans 2: 36; elatior 2: 10, *pl. III;* erythrinus 2: 34, 41; flexipes 2: 36; gentilis 2: 27, 33, 39; **gentilissimus** 2: 32; glaucopus 2: 19, *pl. VIII;* griseoluridus 2: 8; grisiolilacinus 2: 10; herpeticus 2: 20, 21; heterosporus 2: 36; impennis var. lucorum 2: 37; impolitus 2: 36; infrac-

tus 2: 26; iodes 2: 10, 11; iodioides 2: 23; laniger 2: 37; lapidophyllus 2: 26; lucorum 2: 37; malicorius 2: 32; metarius 2: 21; michiganensis 2: 13, 15; miniatopus 2: 6, 41; montanus 2: 21; mucosus 2: 11; multiformis 2: 21; nigrellus 2: 34; nitidus 2: 9; obtusus 2: 42; **occidentalis** 2: 15, 17; **olympianus** 2: 13, 15, *pl. V;* ophiopus 2: 26; **oregonensis** 2: 9; orichalceus 2: 6, 19, 21, 22; **pallidifolius** 2: 8, *pl. II;* paraguadis 2: 34; **parksiana** 2: 16; percomis, 2: 9, 26; perrarus 2: 27; phoeniceus 2: 31, var. **occidentalis** 2: 30; **ponderosus** 2: 6–8, *pl. I;* praestans 2: 25; prasinus 2: 21; psamocephalus 2: 35; pseudobolaris 2: 29; purpurascens 2: 15, 17, 22; f. largusoides 2: 17; purpureo-badius 2: 35; purpureophyllus 2: 18; salor 2: 11; sanguineus 2: 32; saniosus 2: 39; scandens 2: 42; scaurus 2: 21, 22; sodagnitis 2: 13, 15; sphaerosperma 2: 16; sphaerosporus 2: 11; sphagnophilus 2: 6, 23, *pl. IX;* splendidus 2: 11; sterilis 2: 11; subnotatus 2: 32; subpurpurascens 2: 15, 17; **subpurpureophyllus** 2: 17; turmalis 2: 24; umidicola 2: 37; variicolor 2: 17, 25, *pl. X;* vibratilis 2: 12; viola 2: 23; **volvatus** 2: 12, 15, *pl. IV;* **washingtonensus** 2: 33
Corynostylis arborea 8: 44
Costa Rica, plants of 7: 3
Costus villosissimus 8: 20
Couepia dodecandra 8: 28
Coussapoa oligocephala 8: 23
Coutoubea spicata 8: 57
Cow tongue 6: 24
Crataeva glauca 8: 28
Cresta de gallo 8: 69
Cronartium quercus 1: 8
Crotalaria retusa 8: 32; sagittalis 8: 32
Croton sect. Decalobium 7: 21; campechianus 6: 38; **chiapensis** 7:18; cubanus 6: 39; decalobus 7: 21; flavoglandulosus 8: 37; glabellus 8: 37; lucidus 6: 38; lundellii 6: 38; **matudai** 6: 39; **mazapensis** 7: 19; **pendens** 7: 20; perobtusus 8: 37; **platyphyllus** 7: 21; repens 8: 38; rhamnifolius 7: 19, 20; **siltepecensis** 7: 22; soliman 6: 39; standleyanus 7: 21; tabascensis 8: 38; tacanensis 7: 22; **vitifolius** 7: 23
Crusea calocephala, host of a rust 1: 11
Crusita 8: 28
Cucurbitaceae 8: 72
Cuervea mitchellae 8: 41
Cummins, Geo. B, acknowledgment to 1: 7, 10
Cupania auriculata 8: 41
Cuphea carthagenensis 8: 47; decandra var. purpusii 8: 47
Curatella americana 8: 43
Curculigo scorzonerifolia 8: 19
Cycadaceae 8: 11
Cyclopeltis semicordata 8: 9
Cydista potosina 8: 64
Cymbopetalum penduliflorum 8: 27
Cynometra colimensis 8: 32
Cyperaceae 8: 14
Cyperus articulatus 8: 14; brevifolius 8: 14; digitatus 8: 14; eggersii 8: 15; giganteus 8: 15; humilis 8: 15; ligularis 8: 15; luzulae 8: 15; macrocephalus 8: 15; ochraceus 8: 15; unioloides 8: 15

Dalbergia brownei 8: 32; glabra 4: 9; 8: 33; **paucifoliolata** 4: 8; 8: 33; tabascana 4: 9
Dalechampia scandens 8: 38; schippii, host of a rust 1: 15
Dasyspora gregaria 1: 8
Davilla matudai 8: 43
Deamia testudo 8: 47
Desmodium barbatum 8: 33; frutescens 8: 33
Desmoncus 8: 16
Dialium guianense 8: 32
Dianthera anagallis 8: 65
Dichromena colorata 8: 15
Dictyoxiphium panamense 8: 9
Dietelia 1: 10

Dilleniaceae 8: 43
Diodia rigida 8: 69
Dioscorea bartlettii 8: 19; **belizensis** 6: 5; bernoulliana 8: 19
Dioscoreaceae 8: 19
Diospyros bumelioides 8: 55; **campechiana** 4: 23; 8: 56, *fig. 5;* 8: 57; zattii 7: 45; ebenaster 4: 23; 8: 57; **pergamentacea** 7: 44; spectabilis 7: 45; yucatanensis 7: 45; 8: 57, var. **longipedicellata** 7: 45; 8: 57
Dipholis 7: 3; **matudai** 7: 43
Dodonaea (?) serrulata 3: 8, 27
Dorstenia contrajerva 8: 23; host of a rust 1: 17
Dracaena americana 8: 18
Drepanocarpus lunatus 8: 33
Drosera capillaris 8: 28
Droseraceae 8: 28
Drosophila 5: 11, 12
Drymonia chiapensis 8: 65
Dryopteris dentata 8: 9; gongylodes 8: 9; liebmannii 8: 9; serrata 8: 9
Duranta repens 8: 61

Ebenaceae 8: 55
Echinochloa walteri 8: 12
El Cayo District, flora of 1: 5
Eleocharis cellulosa 8: 15; geniculata 8: 15
Elephantopus mollis, host of a rust 1: 7
Enallagma latifolia 8: 65
Endophyllum 1: 11, 15
Entoloma 1: 26
Epaltes mexicana 8: 73
Epidendrum, host of rust 1: 16; alatum 8: 21; cochleatum 8: 21; deamii 8: 21; difforme 8: 21; imatophyllum 8: 21; nocturnum 8: 21; polyanthum 8: 22; radiatum 8: 22; rigidum 8: 22
Epiphyllum crenatum 8: 47
Eragrostis elliottii 8: 12; hypnoides 8: 12
Erblichia standleyi 8: 46, *fig. 2;* 8: 47
Erechtites hieracifolia 8: 73
Erigeron bonariensis 8: 73
Eriochloa punctata 8: 12
Eriochrysis cayennensis 8: 12
Eriosema diffusum 8: 33
Eryngium nasturtiifolium 8: 54
Erythroxylaceae 8: 34
Erythroxylon 8: 34; areolatum 8: 35; belizense 4: 9; bequaertii 4: 9
Escobedia laevis 8: 64
Esenbeckia **belizensis** 6: 33; litoralis 6: 34; pentaphylla 6: 34; **pilosa** 6: 34
Eugenia 8: 51; balancanensis 8: 48, *fig. 3;* 8: 49; **bartlettiana** 7: 30; **bracteolosa** 7: 31; 8: 49; bumelioides 8: 49; **campechiana** 7: 32; 8: 49; capuli 7: 33; 8: 49; **capulioides** 7: 32; **citroides** 7: 33; floribunda 6: 51; lindeniana 8: 49; tabascensis 8: 50, *fig. 4,* 8: 51; **sibunensis** 7: 34
Euonymus atropurpureus var. **cheatumi** 6: 41; parviflorus 3: 29
Eupatorium, host of a rust 1: 6, 10; albicaule 8: 73; macrocephalum 8: 73; macrophyllum 8: 73; oerstedianum, host of a rust 1: 7
Euphorbia, host of a rust 1: 14; heterophylla 8: 38; marginata 8: 38
Euphorbiaceae 8: 37
Eupolymeris 4: 26
Eustoma exaltatum 8: 57
Evolvulus filipes 8: 59; sericeus 8: 59

Fagaceae 8: 23
Faramea occidentalis 8: 69; host of a rust 1: 15
Ficus **chiapensis** 7: 6; involuta 7: 7; 8: 24; oerstediana 8: 24; padifolia 8: 24; radula 8: 24; tuerckheimii 8: 24
Fimbristylis monostachya 8: 15
Fir [Abies], associated with fungi 2: 8, 9
Fischeria briquetiana 8: 58
Fitzpatrick, H. M., acknowledgment to 5: 12
Flacourtiaceae 8: 45
Flora of eastern Tabasco and adjacent Mexican areas 8: 1–74, map 1, *figs. 1–8, pl. I–IV*

Foster, R. C., determinations by 8: 47
Fraxinus **chiapensis** 7: 45; uhdei 7: 46
Fuchsia **aprica** 4: 18; chiapensis 4: 19; **heterotricha** 4: 19; microphylla 4: 20; mixta 4: 19, 20; seleriana 4: 20; **striolata** 4: 20; **tacanensis** 4: 20
Fuirena simplex 8: 15; umbellata, host of a rust 1: 16
Funaria hygrometrica, in burned area 5: 30

Galactia acuminata 6: 25; **anomala** 6: 26; stenophylla 6: 27; striata 8: 33
Garcia nutans 8: 38
Gentianaceae 8: 57
Gentle, Percy H., work of 4: 3
Geonoma 8: 16, 17
Geophila herbacea, host of a rust 1: 16
Gerardia harperi 8: 64
Gesneriaceae 8: 65
Gilibertia arborea 8: 54; matudai 8: 54
Gleason, H. A., determinations by 8: 51
Glockeria **glabra** 6: 60–62, *fig. 4*
Gloria 3: 42
Goldmanella sarmentosa 8: 73
Gomphidius oregonensis 5: 6; roseus 5: 6
Gonolobus cteniophorus 8: 59
Gonzalagunia panamensis 8: 69
Gouania polygama, host of a rust 1: 11
Gramineae 8: 11
Graphardisia 6: 52; 7: 37
Gregg, C. C., acknowledgment to 6: 3
Guadua aculeata 8: 12
Guarea 8: 35; excelsa 8: 35
Guatemala, plants of 7: 3
Guatteria amplifolia 8: 27
Guettarda combsii 8: 69; elliptica 8: 69
Guttiferae 8: 44
Gymnocoronis latifolia 8: 73
Gymnopodium floribundum 8: 26
Gymnopteris rufa 8: 9

Haemodoraceae 8: 19
Half-crown 7: 35
Hamelia axillaris 8: 70; patens 8: 70
Harleya oxylepis 8: 73
Harvey, LeRoy H., determinations by 8:11
Hasseltia dioica 8: 45
Heisteria chippiana 6: 7; 8: 25; media 6: 7; 8: 25
Heliconia 8: 20; aurantiaca 8: 20; collinsiana 8: 20; crassa 8: 20; hirsuta var. cannoidea 8: 20; latispatha 8: 20; librata 8: 20; schiedeana 8: 20
Helicteres guazumaefolia 8: 43
Heliomyces 1: 21; angustifolius 1: 24, 28, *pl. I;* hondurensis 1: 24, 28, *pl. I;* multifolius 1: 25; peckii 1: 25, 26, 28; *pl. I;* rubritinctus 1: 25; striatus 1: 26, *pl. II;* subspodoides 1: 26, 28, *pl. I;* terrestris 1: 26, *pl. II;* translucens 1: 27
Heliotropium, host of a rust 1: 11; angiospermum 8: 60; filiforme 8: 60
Helosis mexicana 8: 25
Hemidiodia ("Hemididodia"), host of a rust 1: 11
Henriettea succosa 8: 52
Heteropogon contortus 8: 12
Heterotrichum octonum 8: 52
Hibiscus 8: 43; costatus 8: 42; furcellatus 8: 43; sororius 8: 43
Hippocratea mitchellae 8: 41; **tabascensis** 4: 16; 8: 41; volubilis 6: 41; 8: 41
Hippocrateaceae 8: 41
Hiraea dipholiphylla 8: 36
Hirtella americana 8: 28; racemosa 8: 29
Hoffmannia 8: 88; refulgens 8: 70
Holdridge, Leslie R. 7: 6
Homolepis aturensis 8: 12
Host index, to rusts of British Honduras 1: 18–19
House, H. D., acknowledgment to 5: 12
Hura polyandra 8: 38
Hybanthus calceolaria 8: 44
Hydrocotyle umbellata 8: 54
Hydrocybe balaustina 2: 38
Hydrophyllaceae 8: 82

Hygrophorus 1: 21; 5: 11, 29; subg. Limacium 5: 21; sect. Brunnei 5: 21; ponderatus 5: 20; sordidus 5: 20; **subalpinus** 5: 19, *pl. III;* variicolor 5: 21; **vernalis** 5: 20, *pl. IV*
Hymenachne amplexicaulis 8: 12
Hymenocallis littoralis 8: 19
Hyperbaena nectandrifolia 8: 27
Hypericaceae 8: 44
Hypholoma 5: 11; appendiculatum 5: 42, 53, 67; atrifolium 5: 38; campanulatum 5: 51; candolleanum 5: 41–43; canoceps 5: 43; chondrodermum 5: 43; cinereum 5: 47, 48; confertissimum 5: 33; cutifractum 5: 42; delineatum 5: 59; dispersum 5: 9; 5: 22; fasciculare 5: 10; fragile 5: 22, 47–49, *pl. XXVII, figs. 1–3, 11;* hydrophilum 5: 42, 53; hymenocephalum 5: 22, 47; incertum 5: 42, 49; longipes 5: 49, 51; maculatum 5: 22; madeodiscum 5: 51; oblongisporum 5: 53; pertinax 5: 44; saccharinophilum 5: 47, 48; **silvaticum** 5: 21, 49, *pl. X, fig. 1;* simile 5: 58; sublateritium 5:12; tsugicola 5: 22, *pl. IX*
Hypolytrum nicaraguense 8: 15
Hyptis 8: 75; **belizensis** 8: 83; lanceolata 8: 81; verticillata 8: 61

Icacorea 7: 38, 39, 40
Icatillo 8: 29
Ichnanthus tenuis, host of a rust 1: 11
Ilex liebmannii 7: 25; panamensis 8: 40
Indigofera lespedezioides 8: 33; suffruticosa 8: 33
Inga edulis 8: 30; englesingii 8: 31; leptoloba 8: 30; pinetorum 8: 30; punctata 8: 30
Inocybe, odor of 2: 7, 8; geophylla var. lateritia 5: 6, var. lilacina 5: 6
Ionopsis utricularioides 8: 22
Ipomoea, host of a rust 1: 7, 15; aphylla 8: 59; callida 8: 59; cissoides 8: 59; crassicaulis 8: 59; rubra 8: 59; sagittata 8: 59; squamosa 8: 59; triloba, host of a rust 1: 10
Iresine nigra 8: 26
Iridaceae 8: 20
Ixolte ixnuc 3: 14

Jacquemontia azurea 8: 59, host of a rust 1: 7; tamnifolia 8: 59
Jacquinia aurantiaca 8: 55
Jatropha standleyi 6: 39; tubulosa, host of a rust 1: 14
Juanulloa mexicana 8: 63
Julocroton argenteus 8: 38
Jussiaea natans 8: 53; suffruticosa 8: 53
Justicia breviflora 6: 62; **cobensis** 6: 62; pectoralis 8: 65

Kauffman, C. H., work of 2: 5
Killip, E. P., determinations by 6: 27; 8: 24, 47

Labiatae 8: 61
Laccaria 1: 21
Lactarius 5: 6; volemus, in Michigan 5: 5
Lactia thamnia 8: 15
Lantana, host of a rust 1: 11
Lasiacis, host of a rust 1: 14; divaricata 8: 12; procerrima 8: 12; rusciifolia 8: 12
Lauraceae 8: 27
Laurel 6: 14; white 6: 21
Laurus triandra 7: 12
Leandra mexicana 8: 52
Leguminosae 8: 29
Lentibulariaceae 8: 65
Lentinus 1: 21
Leonard, E. C.; contribution by 6: 60–64, *figs. 1–5;* determination by 8: 65
Lepiota 5: 6
Leptocoryphium lanatum 8: 13
Leucophyllum frutescens, albino form of 8: 75
Leucophyllum frutescens, f. **albineum** 8: 86
Liabum dimidium, host of a rust 1: 7; sub-glandulare 8: 73, host of a rust 1: 7
Licania hypoleuca 8: 29

Licaria triandra 7: 3
Liliaceae 8: 18
Limnanthemum humboldtianum 8: 58
Limoncillo 4: 15
Lindenia rivalis 8: 70
Linociera oblanceolata 8: 57
Lippia hypoleia 8: 61; myriocephala 8: 61
Litsea **acuminatissima** 4: 3; flavescens 4: 4; glaucescens 4: 4, 5; guatemalensis 4: 4; **matudai** 4: 4; **pallens** 4: 5
Lobelia berlandieri 8: 72; cardinalis var. graminea 8: 72
Lobeliaceae 8: 72
Loganiaceae 8: 57
Lonchocarpus castilloi 8: 33; hondurensis 8: 33; latifolius 8: 33
Lophidium elegans 8: 10
Loranthaceae 8: 21
Lotoxalis yucatanensis 8: 31
Lucuma belizensis 6: 56; campechiana 8: 55; durlandii 8: 55; laeteviridis 8: 55
Lundell, Cyrus Longworth: Revision of the American Celastraceae I. Wimmeria, Microtropis, and Zinowiewia 3: 1–46. *pl. I–X;* Studies of Tropical American Plants I, 4: 1–32; Studies of American Spermatophytes—I, 6: 1–66; Studies of American Spermatophytes—II, 7: 1–56; Flora of eastern Tabasco and adjacent Mexican areas 8: 1–71, map 1, *figs. 1–8, pl. I–IV;* Studies of American Spermatophytes—III, 8: 75–88
Lundell, Cyrus Longworth, work of 1: 5; exploration in Petén 8: 5; exploration in San Luis Potosí 8: 8; determination by 8: 24
Lupita 3: 27
Lycianthes 8: 83; subg. Polymeris 4: 26; sect. Eupolymeris 4: 26; sect. Simplicipila 4: 26, 27; ser. Piliferae 4: 26; hypoleuca 4: 27; symphyandra 4: 27
Lycopodiaceae 8: 11
Lycopodium cernuum 8: 11
Lygodium heterodoxum 8: 10; mexicanum 8: 10
Lysiloma desmostachys 8: 30
Lythraceae 8: 47
Lythrum gracile 8: 47

Mabea occidentalis 8: 38
Machaerium setulosum 8: 31
Machaonia acuminata 8: 70
McVaugh, Rogers, determinations by 8: 72
Mahogany, broken ridge 6: 37
Mains, Edwin B.: Rusts from British Honduras 1: 5–19
Mains, E. B., collection of agarics by 1: 21
Malachra capitata 8: 43
Male blossom berry grape 7: 39
Malpighia lundellii 8: 36
Malpighiaceae 8: 36
Malva 8: 42
Malvaceae 8: 42
Mamey 8: 55
Mammea americana 8: 55
Mandevilla **mollis** 7: 46; platydactyla 7: 47; subsagittata 8: 58
Manisuris guianensis 8: 13; ramosa 8: 13
Mappia **longipes** 7: 26; mexicana 7: 26; racemosa 7: 26
Maranta arundinacea 8: 21
Marantaceae 8: 21
Marasmius berteroi 1: 21; hondurensis 1: 27, *pl. II;* peckii 1: 27; polyporoides 1: 21, 22, 28, *pl. I;* subtenerrimus 1: 27, *pl. II*
Marcgravia **gentlei** 6: 46
Marcgraviaceae 8: 44
Marica gracilis 8: 20
Marsdenia **mayana** 4: 23
Martin, R. F., determinations by 8: 59
Mascagnia dipholiphylla 8: 36; polycarpa 8: 36
Mason, H. L., acknowledgment to 6: 3
Massey, Preston E., acknowledgment to 5: 10

Masson, Robert K., acknowledgment to 4: 18
Matapalo 6: 48
Matayba retusa 8: 41
Matuda, Eizi, work of 4: 3; exploration of Usumacinta River 8: 5–8
Maxon, W. R., acknowledgment to 4: 17; 6: 3; determinations by 8: 8–11
Maya area 1: 5; vascular plants from 4: 3; explorations in 8: 5
Maytenus blepharodes 6: 41; purpusii 8: 40; schippii 8: 40; vulcanicola 6: 41; woodsoni 6: 41
Melanoleuca ionides 5: 70
Melanthera angustifolia 8: 73, deltoidea, host of a rust 1: 14; hastata 8: 74
Melastomaceae 8: 51
Meliaceae 8: 35
Melochia pyramidata 8: 43
Melothria guadalupensis 8: 72
Menispermaceae 8: 27
Menyanthaceae 8: 58
Merrill, E. D., acknowledgment to 3: 29
Mesosetum blakei 8: 13
Metastelma barbigerum 8: 59
Mexico, vascular plants from 4: 3; plants of 7: 3
Michigan–Carnegie expedition 4: 3
Miconia albicans 8: 52; argentea 8: 52; dodecandra 8: 52; ibaguensis 8: 52; lacera 8: 53; pteropoda 8: 53; punctata 8: 53; schlechtendalii 8: 53; scorpioides 8: 53
Microtropis 3: 5; American species of 3: 28–35, *pl. V, VI;* Asiatic species of 3: 29, 30; filipes 3: 29, 8: 40; guatemalensis 3: 29, 30, 32, *pl. V;* japonica 3: 29; occidentalis 3: 29–32; oligantha 3: 29; parviflora 3: 29; schiedeana 3: 29, 30, 33, *pl. VI;* standleyi 3: 29, 30, 34
Mimosa albida, host of a rust 1: 18; somnians 8: 30
Mimoseae 8: 29
Moldenke, H. N., determinations by 8: 61; author of species 8: 82
Monimiaceae 8: 27
Monstera tuberculata 8: 17
Moraceae 8: 23
Morchella 5: 7
Morinda 8: 87; panamensis 8: 70; yucatanensis 8: 70
Morse, Elizabeth, acknowledgment to 5: 51
Morton, C. V., contribution by 4: 3, 24–27; acknowledgment to 6: 38; determinations by 6: 28; 8: 19, 29, 32, 63–65
Mouriria gleasoniana 8: 53; muelleri 8: 53; parvifolia 8: 53
Mucuna 6: 27
Muntingia calabura 8: 42
Musaceae 8: 20
Mycena 2: 5; 5: 5; white species of 5: 29, 46, 50; **alnicola** 5: 23, *pl. V, fig. 2, pl. XXV, figs. 1–3;* atroalboides 5: 6; atrocyanea 5: 24; corticola 5: 9; epipterygia 5: 27; euspeirea 1: 23, 28, *pl. I;* griseiconica 5: 24; **hondurensis** 1: 21, 22, 28, *pl. I;* **hudsoniana** 5: 24, *pl. VI, pl. XXV, figs. 4–5;* inclinata 5: 9; **insignis** 5: 25–27, *pl. V, fig. 1, pl. XXV, figs. 6–7;* leaiana 5: 9; nigricans 5: 24; parabolica 5: 24; strobilinoides 5: 10; subplicosa 5: 25; tenax 5: 10; tenerrima 1: 21; viscosa 5: 27
Myginda filipes 3: 29; 8: 40, 41; macrocarpa 8: 41; puberula 8: 40
Myrcia rufidula 8: 51
Myrica cerifera 7: 6; **holdridgeana** 7: 5
Myrsinaceae 8: 54
Myrtaceae 8: 49
Myxacium 2: 23

Naranjillo 3: 41
Naucoria vernalis 5: 9, 10, *pl. VII*
Navajuela 8: 16
Nectandra ambigua 6: 14; **chiapensis** 6: 12; **gentlei** 6: 13–15; globosa 6: 14; loesenerii 6: 13; nitida 6: 13; perdubia 8: 27; pichurim 6: 14; sanguinea 8: 27; tabascensis 8: 28; urophylla 6: 14

Neea **belizensis** 7: 9; 8: 26; chiapensis 7: 11; choriophylla 7: 10; psychotrioides 7: 10; stenophylla 7: 10; **turbinata** 7: 10
Nelumbo lutea 8: 26
Nemastylis bequaertii 8: 20
Nephrolepis biserrata 8: 9; pendula 8: 10
Neptunia pubescens 8: 30
Neurolaena lobata 8: 74
North American Agarics, Studies of, I, 5; 1–73, *pl. I–XXXII*
Northwestern U.S., fieldwork in 5: 5–11
Notoptera scabridula 8: 74; host of a rust 1: 12
Nyctaginaceae 8: 26
Nymphaea ampla 8: 27
Nymphaeaceae 8: 26

Ochnaceae 8: 44
Ocotea effusa 6: 15; **escuintlensis** 6: 15; **eucuneata** 6: 16; insularis 6: 16; **ovandensis** 6: 16; rubra 6: 16; salvani 6: 23
Odontonema callistachyum 8: 67
Olacaceae 8: 25
Oleaceae 8: 57
Olympic Peninsula, fungus flora of 5: 6–11
Olyra latifolia, host of a rust 1: 9, 15; yucatana 8: 13
Omphalia 5: 11; white species of 5: 29; fuscella 5: 28; griseopallida 5: 28; **hohensis** 5: 27, *pl. VIII, fig. 1;* ignobilis 5: 28; kewensis 5: 29; **occidentalis** 5: 28; rustica 5: 28; serotina 5: 28; umbellifera 5: 30; viridis 5: 30, *pl. VIII, fig. 2*
Onagraceae 8: 53
Oncidium lindenii 8: 22; pusillum 8: 22
O'Neill, Hugh, determinations by 8: 14
**Onohualcoa** 7; 3, 52; **seleri** 7: 52
Operculina ornithopoda 8: 59
Oplopanax horridum 5: 10
Orchidaceae 8: 21
Oregon, fungi of 2: 5, 6
Oreodaphne effusa 6: 15
Oreopanax guatemalense 8: 54
Orthopappus angustifolius 8: 74, host of a rust 1: 7
Oryza latifolia 8: 13
Otopappus curviflorus, host of a rust 1: 12
Ouratea nitida 8: 44; peckii 8: 44
Oxalidaceae 8: 34
Oxalis neaei 8: 34; yucatanensis 8: 34

Palicourea crocea 8: 70; triphylla, host of a rust 1: 13
Palmae 8: 16
Palo de danta 3: 27
Palo retinto 8: 35
Panama, plants of 7: 3
Pan caliente 8: 12
Panicum cyanescens 8: 13; hirsutum 8: 13; hirticaule 8: 13; ichnanthoides 8: 13; laxum 8: 13; rudgei 8: 13; sellowii, host of a rust 1: 11; zizanioides 8: 13
Panus 1: 21
Papelillo 8: 67
Papelio 3: 21
Papilionatae 8: 32
Parathesis aeruginosa 8: 54; cubana 8: 54; **leptopa** 7: 41; **macrantha** 7: 42; matudai 6: 54; melanosticta 6: 55; 7: 42; obovata 8: 54; **psychotrioides** 6: 53; **skutchii** 6: 54; **storkii** 7: 43; venezuelana 7: 43
Parks, H. E 2: 16
Parmentiera parviflora 8: 65
Parthenium hysterophorus 8: 74
Paspalum, host of a rust 1: 13; caespitosum 8: 13; conjugatum, host of a rust 1: 13; hartwegianum, host of a rust 1: 12; lineare 8: 13; orbiculatum 8: 13; pilosum, host of a rust 1: 12; plicatulum 8: 14, host of a rust 1: 13; virgatum 8: 14
Passiflora foetida var. ciliata 8: 47; rovirosae 8: 47; serratifolia 8: 47
Passifloraceae 8: 47
Peck, C. H., work of 2: 5
Pectis saturejoides 8: 74
Pennell, F. W., 6: 59

Pentarrhaphis scabra 8: 14
Peperomia chicbulana 8: 22; glutinosa 8: 22; lundellii 8: 22; petenensis 8: 22; tremulaeformis 8: 22
Pera arborea 6: 40; barbellata 8: 38
Persea benthamiana 6: 18; chamissonis 7: 12; **flavifolia** 6: 17; **gentlei** 6: 18
Pharus latifolius 8: 14
Phaseolus chiapasanus 6: 27; gracilis 8: 34; host of a rust 1: 14
Philadelphus karwinskyanus 4: 6; **matudai** 4: 6
Phlegmacium 2: 23
Phlox 8: 75; amplexicaulis 8: 80; divaricata 8: 80; nivalis, subsp. **texensis** 8: 77; pilosa 8: 80, var. amplexicaulis 8: 80, subsp. **pulcherrima** 8: 79, subsp. pulcherrima var. **pubiflora** 8: 81, subsp. pulcherrima var. **typica** 8: 81
Phoebe subg. Euphoebe 6: 21; subg. Heteranthera 6: 21; **acuminatissima** 6: 19; 7: 14; ambigens 6: 23; **arcolata** 7: 13; **belizensis** 6: 20; **chiapensis** 6: 21; 7: 14; helicterifolia 6: 21; longicaudata 8: 28; nectandroides 6: 21, 22; **obtusata** 6: 21; pallescens 6: 21; pittieri 6: 22; **platyphylla** 6: 23; psychotrioides 6: 20; salicifolia 6: 21; **salvini** 6: 23; **saxchanalensis** 7: 14
Pholiota squarrosa 5: 64
Phoradendron cheirocarpum 8: 24; franciscanum 8: 25; piperoides 8: 25
Photinia **matudai** 4: 7; microcarpa 4: 7
Phyla scaberrima 8: 61; stoechadifolia 8: 61
Phyllanthus antillanus var. hypomalacus, 8: 38; compressus 8: 38; diffusus 8: 38; **heterotrichus** 7: 21; lathyroides 8: 40; nobilis var. hypomalacus 8: 38
Physalis 8: 63; angulata 8: 63
Phytolaccaceae 8: 26
Picea sitchensis 5: 70
Pichiche 7: 35
Picrammia antidesma 8: 35; locuples 7: 17; pistaciaefolia 7: 17; **velutina** 7: 17
Pilea pubescens 8: 24
Pimenta officinalis 3: 26; 8: 51
Pimiento de tierra 8: 51
Pinus caribaea, host of a rust 1: 8; ponderosa, assoc. with fungus 2: 7
Piper andresense 8: 22; aunitum 8: 22; hispidum 8: 23; matudai 8: 23; psilorhache 8: 23; usumacintense 8: 23; yucatanense 8: 23
Piperaceae 8: 22
Piratinera terrabana 8: 24
Piscidia piscipula 8: 34
Pistia stratiotes 8: 17
Pitcairnia punicea 8: 18
Pithecolobium albicans 8: 30; arboreum 8: 30; belizense 8: 30; campechense 8: 30; **disciferum** 6: 27; 8: 30; donnell-smithii 6: 29, 31, 32; englesingii 8: 31; **escuintlense** 7: 15; **gentlei** 6: 28, 31; graciliflorum 6: 29; 7: 16; latifolium 6: 28; leucocalyx 8: 31; matudai 7: 17; pachypus 8: 31; **paucijugatum** 6: 30; peckii 1: 6; **plumosum** 6: 30; recordii, host of a rust 1: 6; **schippii** 6: 31; scopulinum 6: 30; **siltepecense** 7: 16; sophorocarpum 6: 31; 7: 16; tenellum 6: 32
Plantaginaceae 8: 67
Plantago major 8: 67
Pleiostachya pruinosa 8: 21
Pleurothallis grobyi 8: 22; marginata 8: 22
Pleurotus 1: 21
Pluchea camphorata 8: 74
Plukenetia angustifolia 8: 40
Plumeriopsis ahouai 8: 58
Pluteus spinulosus 1: 28, *pl. II*
Polygala consobrina 8: 37; hygrophila 8: 37; longicaulis 8: 37; paniculata 8: 37
Polygalaceae 8: 37
Polygonaceae 8: 26
Polygonum mexicanum 8: 26
Polypodiaceae 8: 8

Polypodium angustifolium 8: 10; palmeri 8: 10; pectinatum 8: 10; phyllitidis 8: 10; polypodioides 8: 10
Polypremum procumbens 8: 57
Pontederia lanceolata 8: 18
Pontederiaceae 8: 18
Populus trichocarpa, host of fungus 5: 9, 41
Posoqueria latifolia 8: 70
Potamogeton 8: 11
Potamogetonaceae 8: 11
Poulsenia armata 8: 24
Pouzolzia obliqua 8: 24
Prestonia guatemalensis 8: 58; mexicana 8: 58
Prickly yellow 6: 35, 36
Pristimera celastroides 8: 41
Protium copal 8: 35
Prunus guatemalensis 7: 14
Psathyra 1: 21; 5; 8, 11; barlae 5: 39; bifrons 5: 40; bipellis 5: 40; candolleana 5: 41; coprobia 5: 44; corrugis 5: 40; frustulenta 5: 45; fusca 5: 62; helobia 5: 40; multissima 5: 33; obtusata 5: 55; pelliculosa 5: 21, 22; roseolus 5: 40; semivestita 5: 45, 57; silvatica 5: 22; spadiceogrisea 5: 60; subnuda 5: 61; vestita 5: 58
Psathyrella 5: 8, 11, 12, 29, 71; atomata 5: 57; **atrifolia** 5: 38, *pl. XIV, XV, pl. XXVI, figs. 1, 2, 9;* **barlae** 5: 39, *pl. XVI, pl. XXX, figs. 3, 4, 6;* **bifrons** 5: 40, *pl. XXX, figs. 7–8;* **candolleana** 5: 41–43, 51; **canoceps** 5: 43, *pl. XXVI, figs. 3–4;* **carbonicola** 5: 31, *pl. XI, pl. XXIX, figs. 4, 6;* **chondroderma** 5: 35, 43, *pl. XVII, pl. XXVI, figs. 5–8;* **confertissima** 5: 33; **coprobia** 5: 9, 44, *pl. XIII, fig. 1, pl. XXXI, figs. 1–2;* 5: 58; **cuspidata** 5: 32, *pl. XXIX, fig. 10, pl. XXX, figs. 2, 5;* **delineata** 5: 59; **frustulenta** 5: 9, 41, 45, *pl. XXXI, figs. 3–5;* gracilis 5: 9, 12; hydrophila 5: 33, 38, 53, 54; **hymenocephala** 5: 47–49, 59; **longipes** 5: 7, 9, 39, 49–51, *pl. XVIII, pl. XXVII, figs. 9–10;* **luteovelata** 5: 34, *pl. X, fig. 2, pl. XXIX, figs. 7–8;* **madeodisca** 5: 51–54, *pl. XXVIII, figs. 1–5;* **michiganensis** 5: 35, *pl. XIII, fig. 2, pl. XXIX, figs. 1–3;* **microsperma** 5: 33; **multipedata** 5: 33; **oblongispora** 5: 53, *pl. XXVII, figs. 4–8;* **obtusata** 5: 55, *pl. XXXI, figs. 6–8;* **olympiana** 5: 36, *pl. XII, pl. XXIX, figs. 5, 9, pl. XXX, fig. 1;* pennata 5: 32, *pl. XXXI, figs. 9–10;* prona 5: 56; **semivestita** 5: 57, *pl. XIX, pl. XXXII, figs. 1–3;* **similis** 5: 58, *pl. XXVIII, figs. 6–9;* **spadiceogrisea** 5: 60, *pl. XX, pl. XXXII, figs. 4–7;* **subnuda** 5: 61, *pl. XXI, pl. XXXII, figs. 8–10;* trepida 5: 62; **vestita** 5: 58
Pseudelephantopus, host of a rust 1: 7; spicatus, host of a rust 1: 13
Pseudocoprinus 5: 11
Psidium sartorianum 7: 35; **yucatanense** 7: 35
Psilocybe 5: 11, 12; camptopoda 5: 37; cernua 5: 12; connisans 5: 37; polycephala 5: 37; sacrocephala 5: 37; spadicea 5: 37
Psittacanthus americanus 8: 25
Psychotria brachiata 8: 70; carthaginensis 8: 70; chiapensis 8: 71; cuspidata 8: 71; flava 8: 71; fruticetorum 4: 30; 8: 71; involucrata 8: 71; limonensis 8: 71; **lundellii** 4: 29; microdon 8: 71; mombachensis 8: 71; oerstediana 8: 71; pubescens 8: 71; sessilifolia 8: 71; undata 8: 71
Pteris grandifolia 8: 10; longifolia 8: 10
Puccinia 1: 15; arechavaletae 1: 8; barbatula 1: 8; **belizensis** 1: 8, 15; caleae 1: 9; **ciliata** 1: 9; conoclini 1: 10; cordiae 1: 10; crassipes 1: 10; erratica 1: 10; (?) fuirenicola 1: 16; gouaniae 1: 11; heliotropii 1: 11; heterospora 1: 11; inclita 1: 11; lantanae 1: 11; lateritia 1: 11; levis 1: 11; **oblata** 1: 12; obliqua 1: 12; palicouriae 1: 13; pallescens 1: 6; paupercula 1: 13; polysora 1: 13; sorghi 1: 13; substriata 1: 13; tubu-

losa 1: 13; urbaniana 1: 13
Pucciniosira pallidula 1: 13
Puerto Rico, plants of 7: 3

Quararibea **gentlei** 6: 44, 45, *fig. 2;* stenophylla 6: 44
Quercus, assoc. with fungus 2: 7; host of a rust 1: 8; oleoides 8: 23, host of a rust 1: 8
Quiebra hacha blanco 3: 14

Randia 6: 50; aculeata 8: 71; **lundelliana** 4: 30; purpusii 4: 30
Renealmia aromatica 8: 20
Revision of the American Celastraceae I. Wimmeria, Microtropis, and Zinowiewia, 3: 1–46, *pl. I–X*
Rhacoma macrocarpa 8: 41; parviflora 3: 29; riparia var. puberula 8: 40
Rhamnaceae 8: 42
Rhipsalis cassutha 8: 47; coriacea 8: 47
Rhizophora mangle 8: 47
Rhizophoraceae 8: 47
Rhodospatha heliconiifolia 6: 4; **nervosa** 6: 3
Rhynchosia minima 8: 34
Rhynchospora 8: 16; cephalotes 8: 15; cyperoides 8: 15; fascicularis 8: 15
Richardia scabra 8: 72
Rinorea hummelii 8: 45
Rivina humilis 8: 26
Roble 8: 23
Rochefortia cuneata 7: 48; **lundellii** 7: 47
Rondeletia **aprica** 7: 54; belizensis 4: 31; buddleoides 4: 31; gratissima 7: 54; **lundelliana** 4: 31; stachyoidea 8: 72
Rosaceae 8: 28
Rourea glabra 8: 29
Rubiaceae 8: 67; descr. by Standley 4: 29; new genus of 8: 75, 86; tribe Morindeae 8: 87
Rubus parviflorus 5: 10
Rudgea ceratopetala 8: 72
Ruellia **matudae** 6: 63, *fig. 5;* nudiflora var. yucatana 8: 67; stemonacanthoides 6: 64; 8: 67
Russelia flavoviridis 6: 60; **maculosa** 6: 57–59; **oxyphylla** 7: 51; **pennelliana** 6: 58; **tabascensis** 6: 59; 8: 64; verticillata 7: 51
Russula 5: 6, 7
Rusts from British Honduras 1: 5–19
Rutaceae 8: 35
Ruyschia **tremadena** 6: 47; **viridiflora** 6: 47

Sageretia elegans 8: 42
Sagittaria lancifolia 8: 11
Salacia blepharodes 6: 41
Salicaceae 8: 23
Salix chilensis 8: 23
Salvia coccinea 8: 61
Salvinia auriculata 8: 10
Salviniaceae 8: 10
Samanea leucocalyx 8: 31
San Luis Potosí, exploration in 8: 8
San Pedro 8: 47
Sapindaceae 8: 41
Sapotaceae 8: 55
Saurauia conzattii 7: 28; leucocarpa 8: 43; **matudai** 7: 27; pauciserrata 8: 43
Sauvagesia erecta 8: 44
Schaefferia cuneifolia 4: 16; **elliptica** 4: 15; frutescens 4: 16; 6: 42; **lanceifolia** 6: 42; pilosa 4: 16; **shrevei** 4: 16
Schizaeaceae 8: 10
Schizophyllum radiatum 1: 21
Schomburgkia tibicinis 8: 22
Schweinfurth, Charles, determinations by 8: 21
Scleria bracteata 8: 16; melaleuca 8: 16; microcarpa 8: 16
Scoparia dulcis 8: 64
Scrophulariaceae 8: 63
Scutellaria orichalcea 8: 63
Seaver, F. J., acknowledgment to 5: 12
Sebastiania confusa 8: 39, *fig. 1*, 8: 40; longicuspis 8: 40; standleyana 8: 40, host of a rust 1: 9, 15
Securidaca diversifolia 8: 37
Seibert, R., determinations by 8: 64, 65
Selaginella 8: 11

Selaginellaceae 8: 11
Senegalia centralis 4: 7; cockerellae 4: 7; russelliana 4: 7; salazari 4: 8
Serjania pterarthra 8: 42
Setaria geniculata 8: 14; tenax 8: 14, host of a rust 1: 14
Shreve, Forrest, acknowledgment to 4: 16
Sickingia 8: 72; **mollis** 4: 32; 8: 72; salvadorensis 4: 32
Sicydium tamnifolium 8: 72
Sida linifolia 8: 43
Sideroxylon **belizense** 6: 55; **calophylloides** 6: 56; lundellii 8: 55; matudai 7: 3, 43
Simaruba glauca 8: 35
Simarubaceae 8: 35
Simplicipila 4: 26, 27
Siparuna nicaraguensis 8: 27
Smilacaceae 8: 19
Smilax aristolochiaefolia 8: 19; **chiapensis** 7: 3; kunthii 7: 4; lanceolata 7: 4; 8: 19; luculenta 8: 19; mollis 8: 19; **rufa** 7: 4; spinosa 8: 19; subpubescens 7: 5
Smith, Alexander H.: Notes on Agarics from British Honduras 1: 21–28, *pl. I–II;* Studies in the Genus Cortinarius–I, 2: 1–42, *pl. I–XII;* Studies of North American Agarics–I, 5: 1–73, *pl. I–XXXII*
Smith, Alexander H., fieldwork of, 1935–39, 2: 5–6; 5: 5–11
Smith, L. B., acknowledgment to 6: 3; determinations by 8: 17, 18, 20
Solanaceae 8: 63, 83; described by Morton 4: 24
Solanum 8: 75; subg. Lycianthes 4: 25, 26; **belizense** 7: 48–50; **cuspidatum** 4: 25; **gentlei** 8: 84; guanicense 8: 63; heteroclitum 8: 63; hoffmannii 8: 86; **hondurense** 4: 26; houstonii 8: 63; **huastecanum** 7: 49–51; **hypoleucum** 4: 27; jamaicense 8: 63; **mayanum** 8: 85; nudum 8: 63; purpusii 4: 26; 8: 63; rovirosanum 8: 63; salviifolium 8: 85; suaveolens 7: 50; **symphyandrum** 4: 27; tricolor 4: 26
Sorghastrum setosum 8: 14
Souroubea 6: 47; triandra 8: 44
Southern Methodist University 8: 75
Soxman, Mr. & Mrs. G. M., acknowledgment to 8: 79
Spathiphyllum sect. Euspathiphyllum 6: 5; kochii 6: 5; **lacustre** 6: 4; 8: 17
Spermacoce glabra 8: 72
Spigelia, host of a rust 1: 8; humboldtiana 8: 57
Sporobolus indicus, host of a rust 1: 14
Spruce [Picea], associated with fungi 2: 10, 11
Stachytarpheta ("Stachytapheta"), host of a rust 1: 13; tabascana 8: 61, 62, *fig. 6*
Standley, P. C., contribution by 4: 3, 29–31; determinations by 6: 33; 8: 69–72
Stemodia durantifolia 8: 64; **fruticosa** 4: 27; macrantha 4: 28
Stenochlaena recurvata 8: 10
Sterculiaceae 8: 43
Stigmaphyllon lindenianum 8: 36
Streptogyne crinita 8: 14
Stropharia 5: 11; ambigua 5: 69; depilata 5: 64; fragilis 5: 66–68; **kauffmanii** 5: 63, *pl. XXIII;* longistriata 5: 51, 66–68; magnivelaris 5: 9, 68, *pl. XXIV;* semigloboides 5: 65; **silvatica** 5: 64, *pl. XXII;* spintrigera 5: 67, 68, var. semivestita 5: 68; squamosa 5:64; tenuis 1: 21, 24
Struchium sparganophorum 8: 74
Struthanthus **capitatus** 7: 7; cassythoides 8: 25; **gentlei** 6: 7; macrostachyus 8: 25; phaneroneurus 8: 25
Strychnos brachistantha 8: 57; hirtiflora 8: 57; panamensis var. hirtiflora 8: 57; tabascana 8: 57
Studies of American Spermatophytes–I, 6: 1–66; II, 7: 1–56; III, 8: 75–88
Stylogyne laevis 8: 54
Stylosanthes guyanensis 8: 34
Swallen, J. R., determinations by 8: 13
Swartzia lundellii 8: 32

Swietenia **belizensis** 6: 36; macrophylla 6: 37
Syngonium podophyllum 8: 17

Tabasco, eastern, and adjacent Mexican areas, flora of 8: 1 74, map 1, *figs. 1–8, pl. I–IV;* localities visited by Matuda in 8: 6; and adjacent areas, map of, 8: 6 (facing)
Tabernaemontana chrysocarpa 8: 58
Talisia floresii 8: 42
Tarro de venado 8: 67
Tauchi 8: 57
Tectaria heracleifolia 8: 10
Tehuantepec, isthmus of, exploration in 8: 8
Tephrosia littoralis 8: 34; nitens 8: 34
Ternstroemia tepezapote 8: 41
Tetracera **belizensis** 6: 44, 46; mollis 8: 43
Tetrapteris seleriana 8: 36
Teucrium vesicarium 8: 63
Texas, botanical survey of 8: 75
Theaceae 8: 44
Theophrastaceae 8: 55
Thevetia ahouai 8: 58; nitida 8: 58
Thouinidium matudai 8: 42
Thrasya campylostachya, host of a rust 1: 12
Tiliaceae 8: 42
Tillandsia brachycaulos 8: 18; bulbosa 8: 18; festucoides 8: 18; juncea 8: 18; polystachya 8: 18; schiedeana 8: 18; streptophylla 8: 18; usneoides 8: 18
Timber sweet 6: 16, 19
Tinta 8: 30
Tokin 8: 31
Tomate cimarron 7: 51
Tournefortia, host of a rust 1: 16; glabra 8: 60; hirsutissima 8: 60
Trachypogon angustifolius 8: 14
Trema floridana 8: 23
Trichachne insularis 8: 14
Trichilia cuneata 8: 36; havanensis 8: 36; hirta 8: 36; montana 8: 36; yucatanensis 8: 36
Tricholoma 1: 21; 5: 11; subg. Dermoloma 5: 71; ionides 5: 69; onychinum 5: 70–71; persicolor 5: 70
Trigonia floribunda, host of a rust 1: 17
Tripsacum latifolium, host of a rust 1: 6, 13
Triumfetta, host of a rust 1: 13; heliocarpoides 7: 27; **matudai** 7: 27
Trophis chiapensis 6: 6, 7; mexicana 6: 6; nubium 6: 6, 7
Tropical American Plants, Studies of, I, 4: 1–32
Tubaria 5: 21, 22
Turneraceae 8: 47
Tynanthus guatemalensis 8: 65

Ulmaceae 8: 23
Umbelliferae 8: 54
Urechites andrieuxii 8: 58
Uredo arrabidaeae 1: 16; **detecta** 1: 16; fuirenae 1: 16; geophilicola 1: 16; guacae 1: 16; rubescens 1: 17; **trigoniae** 1: 17; **xyridis** 1: 17; **yucatanensis** 1: 17
Urera elata 8: 24
Uromyces appendiculatus 1: 14; columbianus 1: 14; costaricensis 1: 14; major 1: 14; oaxacanus 1: 14; proeminens 1: 14; sepultus 1: 14; yurimaguasensis 1: 14
Uroskimmera flavida 8: 64
Urticaceae 8: 24
Utricularia foliosa 8: 65; obtusa 8: 65; pusilla 8: 65

Vargasia tremadena 6: 47; viridiflora 6: 47
Verbenaceae 8: 60
Vernonia ctenophora 8: 74; tortuosa, host of a rust 1: 10
Vigna repens 8: 34; vexillata 8: 34
Vincetoxicum, host of a rust 1: 12; cteniophorum 8: 59; lundellii 8: 59
Violaceae 8: 44
Vismia ferruginea 8: 44
Vitaceae 8: 42
Vitex gaumeri 8: 61
Vitis caribaea 8: 42
Vittaria lineata 8: 10
Vochysia hondurensis 8: 37

Vochysiaceae 8: 37

Walleniopsis 7: 36
Washington, fieldwork in 5: 6; fungi of 2: 5
Wedelia parviceps 8: 74, host of a rust 1: 15; trilobata 8: 74
Wheeler, L. C., determinations by 8: 38, 40
Wherry, Edgar T., acknowledgment to 8: 79
White laurel 6: 21
Wigandia 8: 82
Wiggins, I. L., determination by 8: 43
Wild cinnamon 6: 8
Wild pear 6: 19
Wild yam 6: 6
Williams, Llewelyn, explorations in isthmus of Tehuantepec 8: 8
Wimmeria, Revision of 3: 5–28, *Pl. I–V*
Wimmeria subg. **Euwimmeria** 3: 9, 10; subg. **Wimmeriella** 3: 9, 10; sect. Endolophus 3: 28; sect. Leiocarpae 3: 9, 10; sect. Trichocarpae 3: 9, 10, 27; acapulcensis 3: 9, 10, 18; bartlettii 3: 7, 9, 10, 13, *pl. I, fig. 2;* 8: 41; concolor 3: 6–13, 20; confusa 3: 7–10, 19–21; crenata 3: 19; cyclocarpa 3: 7–9, 11, 26; discolor 3: 8, 9, 11, 13; guatemalensis 3: 9, 23, 24; (?) integerrima 3: 28, 39, 40; lanceolata 3: 9, 10, 16, 19, *pl. I, fig. 1;* microphylla 3: 7, 9, 10, 21, 24, *pl. II;* obtusifolia 3: 7, 9, 11, 25, *pl. IV;* pallida 3: 8, 9, 19, 21; persicifolia 3: 8–10, 14–17, 19; pubescens 3: 7–9, 11, 23–25, *pl. III;* serrulata 3: 9, 10, 27, 28
Woodson, R. E., Jr., determinations by 8: 58, 59

Ximenia americana 8: 25
Xiphidium caeruleum 8: 19
Xuchuche 7: 45
Xylopia frutescens 8: 27, host of a rust 1: 8
Xylosma 8: 75; **blepharodes** 8: 76
Xyridaceae 8: 17
Xyris, host of a rust 1: 17; ambigua 8: 17; jupicai 8: 17

Yucatan peninsula, novelties from 6: 3

Zamia furfuracea 8: 11
Zanthoxylum **belizense** 6: 35; caribaeum 8: 35; matudai 7: 18; microcarpum 6: 35; mollissimum 7: 18; nigripunctatum 6: 35; 8: 35; trichilioides 6: 36
Zea mays, host of a rust 1: 13
Zeller, S. M., acknowledgment to 5: 67–68
Zephyranthes citrina 8: 19
Zingiberaceae 8: 20
Zinowiewia, Revision of the genus 3: 35–46, *pl. VII–X*
Zinowiewia 3: 5; australis 3: 36, 37, 39, 40, 44, *pl. IX;* concinna 3: 37, 39, 41, *pl. VIII;* costaricensis 3: 38–40, 43; integerrima 3: 28, 35, 37–40, 42, *pl. VII;* matudai 3: 37, 39, 45, 46; pallida 3: 36–39, 42; rubra 3: 36–39, 46, *pl. X*
Zizyphus yucatanensis 6: 42–44, *fig. 1*
Zornia diphylla 8: 34
Zosterella longituba 8: 18
Zuelania guidonia 8: 45
Zygia 6: 27, 30